

# **STEALTH PROJECT**

---

2 0 2 2







## OUR SUPPRESSORS


---

Stealth Project Suppressors contain a patented canted helical design which eliminates many of the problems with traditional suppressor design, this is a completely new system of sound suppression. They utilize a single attenuation chamber to control muzzle blast.

# WHAT MAKES STEALTH PROJECT SUPERIOR?



RECOIL  
REDUCTION




FULL AUTO  
\*APPLICABLE TO  
TITANIUM MODELS



MINIMAL  
BLOW BACK




USER  
SERVICABLE




MINIMAL  
POI SHIFT

# HELICAL

# CORE DESIGN








## NO BAFFLE STRIKES.. EVER!

One piece Helical core design increases strength, heat dissipation, and simplicity, no welds to fail or multiple parts to complicate its use. Without multiple baffle chambers the system heats evenly along its entire length, with no “hot spots” increasing the systems heat transfer efficiency.




**ACCELERATED**

**GAS TECHNOLOGY™**





1st round flash eliminated near 100%. Due to the revolutionary design, combustive ambient air is retained in the attenuation chamber of the suppressor and not allowed to escape through the muzzle of the system before combustion, therefore eliminating flash.







# MAVERICK SERIES

The Maverick Series is our Helical Titanium series of Suppressors. The Maverick Series Suppressors contain a patented canted helical design which eliminates many of the problems with traditional suppressor design, this is a completely new system of suppression. They utilize a single continuous attenuation chamber. Fastest heat dissipation rate of any suppressor per volume due to the increased surface area. An average of 30-50% more surface area than the basic suppressor design. This means more rounds downrange in a shorter amount of time.





**CALIBER:** DT 5.56/.223  
**LENGTH:** 6.550"  
**WIDTH:** 1.500"  
**WEIGHT:** 13.5 OZ.  
**HEAT RATING:** 1800 F  
**FINISH:** BLACK | FDE | BATTLEWORN



**CALIBER:** DT .30"  
**LENGTH:** 7.600"  
**WIDTH:** 1.500"  
**WEIGHT:** 15 OZ.  
**HEAT RATING:** 1800 F  
**FINISH:** BLACK | FDE | BATTLEWORN



**CALIBER:** QD 5.56/.223  
**LENGTH:** 6.550"  
**WIDTH:** 1.500"  
**WEIGHT:** 12.5 OZ.  
**HEAT RATING:** 1800 F  
**FINISH:** BLACK | FDE | BATTLEWORN



**CALIBER:** QD .30"  
**LENGTH:** 7.600"  
**WIDTH:** 1.500"  
**WEIGHT:** 14 OZ.  
**HEAT RATING:** 1800 F  
**FINISH:** BLACK | FDE | BATTLEWORN





# FUSION SERIES

The Fusion Series is our Helical Hybrid series of Suppressors. The Fusion Series contains a steel helical core and titanium tube. The Fusion Suppressors also utilize a single continuous attenuation chamber. An average of 30-50% more surface area than the basic baffle suppressor design which helps with heat dissipation. This means more rounds downrange in a shorter amount of time.





**CALIBER:** DT 5.56/.223  
**SOUND REDUCTION:** 27.5 DB  
**LENGTH:** 6.550"  
**WIDTH:** 1.500"  
**WEIGHT:** 17.92 OZ  
**HEAT RATING:** 1800 F  
**FINISH:** BLACK | FDE | BATTLEWORN



**CALIBER:** DT .30"  
**SOUND REDUCTION:** 22.5 DB  
**LENGTH:** 7.750"  
**WIDTH:** 1.500"  
**WEIGHT:** 21.44 OZ  
**HEAT RATING:** 1800 F  
**FINISH:** BLACK | FDE | BATTLEWORN



**CALIBER:** QD 5.56/.223  
**SOUND REDUCTION:** 30.0 DB  
**LENGTH:** 6.550"  
**WIDTH:** 1.500"  
**WEIGHT:** 17.12 OZ  
**HEAT RATING:** 1800 F  
**FINISH:** BLACK | FDE | BATTLEWORN



**CALIBER:** QD .30"  
**SOUND REDUCTION:** 24.5 DB  
**LENGTH:** 7.600"  
**WIDTH:** 1.500"  
**WEIGHT:** 19.20 OZ  
**HEAT RATING:** 1800 F  
**FINISH:** BLACK | FDE | BATTLEWORN





# BOLT SERIES

The Bolt Series contain a patented canted helical design which eliminates many of the problems with traditional suppressor design, this is a completely new system of suppression. They utilize a single continuous attenuation chamber. The Bolt Suppressors utilize Accelerated Gas Technology™ to keep your suppressor cleaner and quieter and also caliber inserts for .22 caliber to .308 caliber to maximize your sound reduction and reduce wear. These are designed primarily for hunting and precision shooting applications.





**CALIBER:** DT .22"  
**SOUND REDUCTION:** 22.5 DB  
**LENGTH:** 6.106"  
**WIDTH:** 1.000"  
**WEIGHT:** 3.52 OZ  
**HEAT RATING:** 500 F  
**FINISH:** BLACK



**CALIBER:** DT 5.56/.223  
**SOUND REDUCTION:** 27.5 DB  
**LENGTH:** 6.600"  
**WIDTH:** 1.500"  
**WEIGHT:** 7.36 OZ  
**HEAT RATING:** 500 F  
**FINISH:** BLACK



**CALIBER:** DT .30"  
**SOUND REDUCTION:** 26.0 DB  
**LENGTH:** 7.640"  
**WIDTH:** 1.750"  
**WEIGHT:** 12 OZ  
**HEAT RATING:** 500 F  
**FINISH:** BLACK




**CALIBER:** DT .338"  
**LENGTH:** 8.875"  
**WIDTH:** 1.750"  
**WEIGHT:** 14.88 OZ  
**HEAT RATING:** 500 F  
**FINISH:** BLACK





# **FLASH BRAKES & MUZZLE BRAKES**





## FLASH BREAKS



**CALIBER:** 5.56MM/.223 CAL  
**WEIGHT:** 2 OZ  
**OVERALL LENGTH:** 1.875"  
**DIAMETER:** 1"  
**THREAD PITCH:** 1/2-28  
**ATTACHMENT STYLE:** TAPER MOUNT  
**MATERIAL:** 4140HT STEEL  
**FINISH:** BLACK NITRIDE



**CALIBER:** 7.62MM/.308 CAL  
**WEIGHT:** 2 OZ  
**OVERALL LENGTH:** 1.875"  
**DIAMETER:** 1"  
**THREAD PITCH:** 5/8-24  
**ATTACHMENT STYLE:** TAPER MOUNT  
**MATERIAL:** 4140HT STEEL  
**FINISH:** BLACK NITRIDE

## MUZZLE BRAKES



**CALIBER:** 5.56MM/.223 CAL  
**WEIGHT:** 2 OZ  
**OVERALL LENGTH:** 1.875"  
**DIAMETER:** 1"  
**THREAD PITCH:** 1/2-28  
**ATTACHMENT STYLE:** TAPER MOUNT  
**MATERIAL:** 4140HT STEEL  
**FINISH:** BLACK NITRIDE



**CALIBER:** 7.62MM/.308 CAL  
**WEIGHT:** 2 OZ  
**OVERALL LENGTH:** 1.875"  
**DIAMETER:** 1"  
**THREAD PITCH:** 5/8-24  
**ATTACHMENT STYLE:** TAPER MOUNT  
**MATERIAL:** 4140HT STEEL  
**FINISH:** BLACK NITRIDE



# **THREAD ADAPTERS & CALIBER INSERTS**



## THREAD ADAPTERS



**MANUFACTURED:** USA

**MATERIAL:** 4140HT STEEL

**FINISH:** BLACK NITRIDE OR STAINLESS STEEL

**SIZES:** 1/2-28 TO 5/8-24

9/16-24 TO 5/8-24

Thread adapters are made from 4140HT Steel, ideal for adapting 5/8-24 muzzle devices, suppressors, or other alignment critical devices to your barrel. Internal and external threads are single point cut for perfect concentricity and alignment. Available in Black Nitride or Stainless Steel.

## CALIBER INSERTS



**MANUFACTURED:** USA

**MATERIAL:** HARDENED 17-4 STAINLESS STEEL

**FINISH:** STAINLESS STEEL

**SIZES:** .22 CAL

.17 CAL

6.5MM

.308 CAL

.338 CAL

.357 CAL

9MM

These inserts thread into direct thread Stealth Project suppressor to increase effectiveness when you change calibers. For example, installing the .223 caliber insert in our .308 will increase sound reduction by 3-5%.

**\*Not for use in any QD Stealth suppressors**

The logo features a stylized blue 'S' composed of two parallel, slanted rectangular bars that interlock to form a continuous shape.

# STEALTH PROJECT









CENTERVILLE, IOWA  
EMAIL: [SUPPORT@STEALTHPROJECT.COM](mailto:SUPPORT@STEALTHPROJECT.COM)  
CALL: 641-200-1900  
[STEALTHPROJECT.COM](http://STEALTHPROJECT.COM)